

## HITACHI

#### Performa CP-RS55

## **LCD Projector**

- Native Res: 800 x 600
- Aspect ratio Native 4:3/16:9 compatible
- · Contrast ratio 300: 1
- NTSC. SECAM. PAL
- · Digital keystone ± 15° Vertical
- Dimensions: 11.22 x 2.87 x 7.94

#HICPRS55.....\$699.95

### InFocus<sup>®</sup>

# **DLP Projector**

- 1700 ANSI Lumens • Native Res: 800 x 600
- Contrast Ratio: 2000: 1
- NTSC, PAL, SECAM
- 3.98" x 9.45" x 11.97
- 5.95 lbs





#ININ24.....

\$699.00

XR-10S / XR-10X

# **EPSON**°

## LCD Multimedia Projector

- 1600 ANSI Lumens
- Native Resolution: 800 x 600
- · Contrast Ratio 500:1
- · Aspect Ratio 4:3 Full Size, (Supports 16:9)
- Keystone Correction Vertical ± 30 degrees
- USB 1.1 Connector
- Built-in Speaker: 1 W Monaural
- 100-120 V, 50/60Hz AC

#EPPL\$3.....

\$679.95

CP-RX60

**PowerLite S3** 

## InFocus<sup>®</sup>

#### X-2 DLP

**VPL-ES3** 

### Multimedia Projector

- DLP 0.55" DDR DMD
- SVGA 800 x 600 Res.
- Inputs: VGA w/MI, S-Video, Composite, RCA, mini
- 2000:1 Contrast Ratio
- · 4:3 Standard Screen,
- 16:9 Wide Screen
- HDTV Compatible
- Keystone Correction; ±10°
- NTSC, PAL, SECAM Dim. 9.8 x 4.2 x 12.9" 6.8 lbs. #INX2 \$699.95





# SHARP.

# **DLP Multimedia Projector**

- 2000 ANSI Lumens
- Native resolution: 800 x 600
- . Contrast Ratio 2000:1
- Aspect Ratio Native 4:3
- 16:9 with Image shift
- Keystone Correction
- Yes Vertical Digital Keystone · Built-in Speaker · NTSC, PAL N/M, 60, SECAM

SHXR10X Step up Feature: • Native Resolution: 1024 x 768

#SHXR10S .....\$749.95 #SHXR10X .....\$899.95

## HITACHI

## LCD Multimedia Proiector

- 1500 ANSI Lumens
- Native Resolution: 1024 x 768
- Contrast Ratio 300:1
- Aspect Ratio 4:3 Standard Mode
- 16:9 Compatible
- 240 W. 100-240v AC: 50/60Hz (auto switching)
- NTSC, PAL, SECAM, PAL-M,N

**DLP Multimedia Projector** 

#HICPRX60 .....

• 1700 ANSI Lumens

- 0.55" DDR DMD

. Contrast Ratio 2000:1

Keystone Correction

• NTSC, PAL, SECAM

Vertical up to ±10 degree

Aspect Ratio 4:3 Native

• Native Res: 1024 x 768

• DLP by Texas Instruments

**InFocus**<sup>®</sup>

\$799.95

**X3** 

# SONY

#### LCD Multimedia Projector

- 2000 ANSI Lumens
- Resolution: 800 x 600
- Inputs: 1-component
- 1.2 times zoom lens
- 1-component
- (Y/R-Y/B, HD-15)
- Video Composite, S-Video
- Front and rear IR Receiver
- Dimensions (WxHxD): 12 1/8" x 3 7/8" x 9 7/8"
- Weight 6.4 Lbs. / 2.9kg

**DLP Multimedia Projector** 

#SOVPLES3 .....

SHARP.

• 2300 ANSI Lumens

• Resolution: 800 x 600

• Contrast Ratio 2000:1

• 16:9 with Image shift

· Built-in Speaker

SHXR20X

• Aspect Ratio Native 4:3

· Vertical Digital Keystone

• NTSC, PAL N/M, 60, SECAM

.....\$849.95

XR-20S / XR-20X

# LCD Multimedia Projector

**EPSON**°

- 2000 ANSI Lumens
- · Native Resolution: 1024 x 768
- Contrast Ratio 400:1
- Aspect Ratio 4:3
- 16:9 supports NTSC, NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM
- Keystone Correction +/-30° 9.7 x 12.9 x 3.9"
- 24.64 x 32.77 x 9.91cm 5.7 lb #EPPL76C .....\$899.95

PowerLite 76c

2000

# CP-X250

# LCD Multimedia Projector

- 2.000 ANSI Lumens
- Native Res: 800 x 600

HITACHI

- · Contrast Ratio 400:1
- Aspect Ratio Native 4:3
- 16:9 compatible Digital Keystone

- ±15° Vertical

   NTSC, PAL, SECAM,
  NTSC4.43,PAL-M, PAL-N, PAI 60 240 W AC100-240V 50/60Hz

#HICPX250 XGA .....

\$929.95

# Optoma **DLP Multimedia Projector**

• 16:9 Mode

- 2000 ANSI Lumens
- · Resolution: 1024 x 768
- · Contrast ratio 2500:1
- NTSC, PAL, SECAM SDTV (480i), EDTV (480p), HDTV (720p, 1080i)
- Aspect Ratio(s): 4:3; Supports 16:9
- 2W Mono speaker Fully HDTV compatible (720p. 1080i) • DVI-D w/HDCP, component, composite, and S-video input

#INX3.....\$899.95

- Adjustable cooling fan speed

#0PEP719.....\$949.95

**EZ PRO 747** 

**EZ Pro 719** 

## SANYO

# LCD Multimedia Projector

Step up features: 1024 x 768 Resolution

#\$HXR20\$ \$899.95

- 2000 ANSI Lumens
- Resolution: 1024 x 768
- USB Type B Progressive,
- 3-2 Pull Down

N 100-240V

- . Aspect Ratio 4:3 • PAL/SECAM/ NTSC4 43/PAL-M/
- \$995.00 #SAPLCXU73 .....

#### PLC-XU73 Canon

- Brightness: 2000 ANSI Lumens
- Digital Keystone: +/- 30 degrees (Manual) NTSC/PAL/SECAM/NTSC4.43/
- Dimensions: 12.2 x 10.4 x 4.3 in.
- Weight: 6.6 lbs (3.0 kg)

Step up features of the LV7255: 2500 ANSI Lumens

# LV-7250/LV-7225

- Ultra-Portable Projector Native Resolution: 1024x768
- Contrast Ratio: 600:1
- PAL-M/PAL-N/PAL-60

#CALV7250 ..... .\$1.099.00 #CALV7245 ..... \$1,499.00



## XGA PROJECTOR

- 3000 ANSI Lumens
- Native Resolution: 1024x768
- · Contrast Ratio 2200:1 4:3 native, 16:9 & 5:4 compatible
- · Keystone Correction: +/- 16 degree vertical
- Dim.: 13.56 x 3.72 x 9.67 inches Weight: 7 pounds

#0PEP747 \$1,949.00



**Beno** 

PB8140

3500

**EPSON**° PowerLite 62c/82c

# **InFocus**°

LP-70+

**EZ-Pro 739** 

U5-332

# **DLP Projector**

- Native Resolution: 1024 x 768
- Aspect Ratio: 4:3 / 16:9 screen selectable
- Brightness: 3500 ANSI lumens
- 2000 ANSI lumens
- . Contrast Ratio 2000:1
- . DVI-I digital input.
- Weight: 3.6 kg (7.9 lbs)
- 100 to 240 VAC, 50 to 60 Hz

• Video system: NTSC / PAL / SECAM

BH# BEPB8140 ...... \$1,099.00

 Keystone Correction +/-30° Projection Tilt

LCD Multimedia Projector

Aspect Ratio 4:3 native. Supports 16:9

· Built-in Speaker • 100-240v, 50/60Hz AC

• Native Resolution: 800 x 600,

. Contrast Ratio 400:1

• Brightness: 2000 ANSI Lumens

 System NTSC, NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM 82c Step up features:

• Native Resolution: 1024 x 768 • HD Input

LCD Multimedia Proiector

. Aspect Ratio 4:3, supports 16:9 and 5:4

· Project images in real-time, without cables

Keystone Correction: auto ± 30°
NTSC, NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM
Dimensions: 7.6 x 10.8 x 2.7" • 19.30 x 27.43 x 6.86cm

• Weight 3.8 lb (1.72 kg)
 PowerLite 755c Step up feature: • Epson EasyMP™ technology

Wired & wireless network capable to monitor & control projectors

#EPPL750C.....\$1,349.00 #EPPL755C \$1,549.00

EPPL62 / EPPL82C ......\$1,199.00 / 1299.00

2000

LP-120

1100

# **DLP Multimedia Projector**

• DLP 0/7" DMD - Digital Light Processing

XGA 1024 x 768 Resolution

• Inputs: M1-DA, S-Video, RCA, mini

- 1100:1 Contrast Ration • 4:3 Standard Screen,
- 16:9 Wide Screen
- Keystone Correction ± 15
- NTSC. PAL. SECAM

• Dimensions 7.8 x 2.5 x 6.1 in. • Weight: 2.8 lbs

#INLP70P ...... \$1,349.95

**VPL-CS20A** 

## **EPSON**

• Native Res. 1024 x 768

· Contrast Ratio 400:1

PowerLite 750c / PowerLite 755c

# Optoma

Projector

• 1024 x 768 Native Resolution

• Digital Keystone Correction

 1.20:1 Zoom Manual • 2000:1 Contrast

HDTV Compatible

 Component Video Digital Input: DVI (HDCP)

• Dimensions: 4.1 x 10.4 x 9.3

· Weight: 5.3 lbs.

#0PEP739 .....\$1,399.00

SONY

LCD Multimedia Projector

- 2000 ANSI Lumens
- Resolution: 800 x 600
- Contrast Ratio 300:1 Aspect Ratio 4:3
- Regular Screen
- Keystone Correction ± 15 degrees vertically
- · Built-in Speaker
- NTSC. PAL. PAL-N/M/60. SECAM

#SOVPLCS20A ......\$1,299.95

**InFocus**°

• DLP Technology

• NTSC, PAL,

**Bi-Directional DV** 

• XGA 1024 x 768 Res.

SECAM, ED/HDTV

• Inputs: VGA, M1-A.

• Weight 5.2 lbs.

· 2-Year Warranty

• 1000:1 Contrast Ratio

S-Video, Composite Video, RS-232, USB

• Dimensions: 2.9 x 10.4 x 8.6"

LP-600

2000

**\$400** 

Mfg. Mail-in

Rebate Exp. 6/30/06 **InFocus**°

Mobile Projector

• 0.7" DLP XGA DMD DDR

• XGA 1024 x 768 Res.

 700m lens w/ manual focus and manual zoom adjust

· Inputs: S-Video, RCA, Mini USB Control

. Contrast Ratio 2000 : 1

Kevstone Correction: ±7.50 V

• NTSC, PAL, SECAM

SONY

• Dimensions 9.8 x 5.2 x 9.4" • Weight 2 lbs.

#INLP120 ...... \$1,479.95

VPL-CX70

**PLUS** 

### **DLP Multimedia Projector**

• DLP DDR Technology • 1024 x 768 Res.

• 26.5-31.8mm f/2.4-2.6 Zoom

• 8x Digital Zoom

HDTV Compatibile

• 2000:1 Contrast ratio

• 4:3 Aspect Ratio

& Supports 16:9

Keystone correction 20°
 NTSC. PAL. SECAM

• 15 pin HD, S-Video, Composite video, Mini, RS-232

• 8.5 x 2.4 x 10.2" • Weight 4.6 lbs. #PLU5332 \$1,499.95

LP 640

**PLUS** 

V-332

## "Pico" Projector

- DLP DDR Technology
- 1024 x 768 Resolution
- 27.5-33mm f/2.6-2.9 Zoom
- 2x Digital Zoom HDTV Compatibile
- 2000:1 Contrast ratio
- 4:3 Aspect Ratio
- Keystone correction +17°/-22°

LCD Multimedia Projector

• 15-pin HD, S-Video, Composite video, Mini, USB • NTSC, PAL, SECAM • 7.3 x 1.8 x 6.9" • Weight 2.8 lbs. #PLV332 \$1,499.95

#INLP600 \$1,499.95

# • 2000 ANSI Lumens

LCD Multimedia Projector

- Native Res: 1024 x 768
- Aspect Ratio 4:3 Full Screen, 16:9 Wide Mode
- Keystone Correction • 100-240v. 50/60Hz
- Remote Control

#SOVPLCX70 \$1,499.95

# **InFocus**<sup>®</sup> Multimedia Projector

• .79" polysilicon TFT LCD x3

XGA 1024 x 768 Res.

· Inputs: S-Video, Composite, RCA, VESA, RS-232, USB

• 400:1 Contrast Ratio NTSC. PAL. SECAM

• Dim: 11.6 x 4.1 x 10.3" • Weight 7.5 lbs.

LP-640 Step-up Features:

• 2,200 ANSI Lumens • HDTV Compatible #INLP640.....

Exp. 6/30/06 \$1,649.00

XJ-360/560

\$500

Mfg. Mail-in

Rebate

SANYO

• 3000 ANSI Lumens

Native Res:1024 x 768

Contrast Ratio 450:1

• Correction Vertical ±20°

• NTSC/ PAL-N-M / SECAM

• Built-in Speaker 1.0 watt mono

Aspect Ratio 4:3

• USB Type B

HITACHI PLC-XU48

**Digital Projector** 

• 2,500 ANSI lumens • Contrast ratio 500: 1 · Aspect ratio Native 4:3 / 16:9 compatible

• Native Resolution: 1,024 x V 768

 Colors 16.7 million colors Speakers 1W x 1 • Power supply AC100-120V/AC220-240V 50/60Hz

 Digital keystone: Vertical ±15° NTSC, PAL, SECAM, PAL-M,N

Step up feature: • 3200 ANSI Lumens #HICPX440 .....\$1,399.00



**DLP Multimedia Projector** • 1024 x 768 Native Resolution

 Aspect Ratio: 4:3 (XGA) · Digital Keystone

3000 ANSI Lumens #CAXJ360 .....

\$1,599.00

292 www.bhphotovideo.com

A/V Presentation Quick Dial 821

• Lens Shift Up/Down Ratio 9:1 #SAPLCXU48 \$,1695.00

HICPX445

#HICPX445 .....\$2,499.00





CP-X440 / CP-X445

























# SANYO

#### PLC-XU60

#### **EPSON**° PowerLite 760c / PowerLite 765c

## LCD Multimedia Projector

- 3000 ANSI Lumens
- Native Resolution: 1024 x 768
- . Contrast Ratio 450:1 • Aspect Ratio 4:3
- Keystone Correction
- Vertical ± 40°, Horizontal ± 20°
- · Built-in Speaker

• NTSC. PAL-N-M. SECAM

SONY

## VPL-CX80 / VPL-CX86

# LCD Multimedia Projector

- 3000 ANSI Lumens • Native Res: 1024 x 768
- Aspect Ratio 4:3 Full Screen
- 16:9 Wide Mode • 100-240v, 50/60Hz
- NTSC, PAL, SECAM, NTSC4.43, PAL-M, PAL-N, PAL-60 SOVPLCX85 Step up features: • 3000 ANSI Lumens

#SAPLCXU60......\$1,899.95

- Wireless LAN Card Slot Memory Stick Slot 8 lb 6 oz
- #SOVPLCX80 ......\$2,699.95 #SOVPLCX86 ......\$2,899.95

#### **Benq** PB 8260

### **DLP Projector**

- Native Resolution: 1024 x 768 Pixels
- Brightness: 3500 ANSI Lumens
- Contrast: 2000:1
- . Aspect Ratio: 4:3 Keystone Correction: Digital
- Speakers: 2.0W+ 2.0W
- Dimensions: 4.2 x 12.6 x 9.3
- · Weight: 8.4 lbs.

BH# BEPB8260 ......\$2,999.00

#### **InFocus**° LP-840

# XGA Multimedia Projectors

- XGA 1024 x 768 Res.
- LCD 0.99" TFT Poly x 3, (MLA) Contrast Ratio 800:1
- Aspect Ratio 4:3
- Keystone Correction (Hor) ±25 (Vert)±15
- 100-240V 50/60 Hz 4.3 x 13.1 x 15.6" 13.1 lbs. • 2-yr Warranty/90-day Lamp • Long & short lens available
- LP-840 Step-ups: Contrast 750:1 4:3, 5:4 & 16:9
- Dim. 16.8 x 12.4 x 6.4" Weight 17 lbs.

#INLP840 .....\$3,999.00 SANYO

## PLC-XP55

### XGA Multimedia Projector

- XGA 1024 x 768 Res.
- 48.45-63.75mm f/1.8-2.1 Lens
- 4:3 aspect ratio
- LCD 1.3" TFT PolyType x3
- Powered 1:1.3 Zm
- Throw distance 4.6-48.2
- 1100:1 Contrast Ratio Keystn Corr. Vrt: ±400, Hrz: ±100
- Compressed SXGA/XGA/SVGA/VGA
   NTSC/PAL SECAM
- Dim: 12.6 x 6.6 x 16.9" Weight 18.5 lbs.

#SAPLCXP55 ......\$4,499.95

- LCD Multimedia Projector
- 2500 ANSI Lumens Native Res: 1024 x 768 Contrast Ratio 400:1
- Aspect Ratio 4:3 Full Screen
- 5:4.16:9 Wide Mode Keystone Correction
- Auto ± 30° USB Port NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM

EPPL765C Step up features:

• PCMCIA Card Slot • Wired and Wireless Networking Capabilities

#EPPL760C \$2,099.95 #EPPL765C \$2,299.95

### SANYO

### PLC-XT11 / PLC-XT16

#### LCD Multimedia Projector

- 2700 ANSI Lumens
- Native Resolution: 1024 x 768
- Contrast Ratio 700:1
- Aspect Ratio 4:3 Standard Screen
- Keystone Correction:
- Vertical +40/-20°, Horizontal ± 10° • Speaker 2x 2 Watt Stereo
- NTSC, NTSC 4.43, PAL, PAL-M, PAL-N, SECAM
- SAPLCXT16 Step up feature: 3500 ANSI Lumens



## **EPSON**°

### PowerLite 830p / PowerLite 835p

- LCD Multimedia Projector • 3000 ANSI Lumens
- Native Res: 1024 x 768
- Contrast Ratio 600:1
- · Aspect Ratio 4:3 Full Screen, 5:4, 16:9 Wide Mode
- Serial/RS232C D-sub 9 pin x1 USB Type B x1
- 5 W Speaker NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM
- Keystone Correction Vertical: ±45°. Horizontal: ±25°

EPPL835P Step up features: • PCMCIA Slot • Wired & Wireless Networking

#EPPL830P.....\$3,199.95 #EPPL835P \$3,499.95

# SANYO

## XGA Multimedia Projector

- 1.3" TFT Poly x 3
- XGA 1024 x 768 Res.
- 48.5-63.8mm f/1.7-2.0 (1.3x Zoom) Lens
- Keystone Correction; ±10°
- · A/V Inputs: S-Video.
- USB. RCA Video. 15-pin VGA, Mini
- NTSC, PAL, SECAM HDTV Compatible
- 12.6 x 6.6 x 18.5" 18.5 lbs.
- #SAPLCXP46 ......\$3,699.95

# LV-7565

- 5100 ANSI Lumens
- . Native Resolution: 1024 x 768
- · Aspect Ratio 4:3 Regular Full Screen
- · Keystone Correction:
- USB Port Built-in Speaker 2x 3w Stereo
- #CALV7565 \$5,995.95



# • 3500 ANSI Lumens

**EPSON**°

Optoma

Built-in Speaker

OPEP759

NTSC. PAL. SECAM

**DLP Multimedia Projector** 

- Native Res: 1024 x 768
- · Contrast Ratio 700:1 · Aspect Ratio 4:3 Full Screen, 5:4, 16:9 Wide Mode
- Keystone Correction Auto Horizontal: ±20 degree
- PCMCIA Slot for Wireless LAN and Memory Card
- USB Type B and Type A Built-in Speaker 5 Watt
- NTSC4.43, PAL, M, N, PAL60, SECAM Lens Not Included

#EPPL7850NL \$2.849.95

## HITACHI

## LCD Multimedia Projector

- XGA 1024 x 768 Resolution
- Contrast Ratio 500:1
- NTSC, PAL-N-M, SECAM Projection Size from 30"
- up to 300" diagonal Aspect Ratio 4:3 Mode
- Supports 16:9 100-240v AC
- . Keystone Correction: Horizontal & Automatic Vertical
- Dimensions 16.5 x 6.3 x 12.6"

# #HICPX1200 .....\$3,299.95

## SONY

- LCD Multimedia Projector
- 3500 ANSI Lumens
- Native Resolution: 1024
- · Aspect Ratio 16:9 Wide • 4:3 Full Screen
- Ethernet Port: RJ-45
- 10 Base-T/100 Base-TX
- USB Port
- HD-15-pin x2

SANYO

- · Built-in Speaker
- Keystone Correction Yes, ± 20 degrees

#SOVPLPX41 \$3,999.95

## Canon

- LCD Multimedia Projector
- Contrast Ratio 1000:1
- 2-3 Pulldown
- Vertical ± 40°, Horizontal ± 10°
- 100-240 V 50/60Hz, Auto Select


PLC-XP46

# 800 947-1186 • 212 444-6686

# 293



# • 3000 ANSI Lumens • Native Resolution: 1024 x 768 Contrast Ratio 2000:1 Aspect Ratio 4:3 Regular Screen • 16:9 Wide Mode Compatible Keystone Correction Yes - Horizontal & Vertical ±16 degree



#0PEP759 \$2,299.00

EZ Pro 758 / EZ Pro 759

# PowerLite 7850NL























PLC-XF41 / PLC-XF45







• 1100:1 Contrast Ratio • 4:3 Aspect Ratio • NTSC, PAL, SECAM • 22.9 x 9.9 x 30.8" • 81.6 lbs.

• Lens sold separately Shown with optional lens SAPLCXF45 Step up feature: • 10,000 ANSI lumens #SAPLCXF41 \$10,999.95

#SAPLCXF45 ......\$13,899.95

## DA-LITE

#### **Fast Fold Screen Systems**

# **Projection Screens**

· Portable Screens up to 14' Wide

· Lightweight, stable folding aluminum frames fit into a case . Set up and tear down w/o tools . Seamless surfaces up to and incl. 12' high available with Da-Mat, Pearlescent, Cinema Vision, Dual Vision and Da-Tex (rear) view surfaces



• Incl. durable Polyethylene storage carrying case • Front and rear projection screen surfaces can be interchanged

 Std screen sizes from 54"h x 54"w to 10' 6"h x 14'w. Custom sizes available

#### ORAPER RoadWarrier Portable Screen **Projection Screens** · Lightweight; easy to carry, clean • Extruded aluminum Screen Case . Surface raises at the touch of a finger · Surface designed for computer presentations and high-res. requirements Avail. in 60" & 80" diag. NTSC format · 1-year Warranty #DRRW3648MW 60".....\$299.95 #DRRW4864MW 80" ...... \$409.50

#DRCPRW60 60" case ..... \$86.50

**VP4150** 

DA-LITE TRIPOD SCREENS Matte White or Glass Beaded Versatol Picture King 69.95 50x67 89.95 143.95 60x60 79.95 143.95 60x80 95.95 229.95 70x70

UNIU	00.00	1 10.00		
WALL/CEILING				
	Model B	B Deluxe		
0x50	43.95	76.95		
0x60	49.95	86.50		
0x80	104.95	159.95		
0x70	109.95	97.95		
Other surfaces available.				

TRIPUD SCREENS					
Matte White or Glass Beaded					
	Consul	Diplomat			
50x50	69.95	115.95			
50x66.5	-	128.50			
60x60	82.95	143.95			
70x70	85.95	143.95			
60x80	-	219.95			
WALL/CEILING					
	Luma	Salara			
50x50	43.95	185.95			
60x60	49.95	197.95			

59.95

Other surfaces available.

267.50

**VP-4810** 

NTERL

**VP4300** 

#### Remotepoint Presenter

A sleek ergonomic RemotePoint Navigator, polished metal, icon-studded control keys for Slide Forward, Slide Back and Slide Hide and Laser Pointer functions. • 360-degree cursor control • Range up to 100' • 900 MHz • Power



#INVP4300 (\$20 Mfg. Mail-in Rebate Available)

35mm Slide Projectors & Viewers

\$134.95

Kata

Modern design complete with 150W halogen

#37512 90/2.5 ColorPlan f/P150 ........... 169.00

#37354 90/2.5 ColorPlan Pro f/RTS-RTM ..299.00

2x36 Slide Tray ...... 14.95

2x50 Slide Tray ...... 14.95

2x60 LKM Slide Tray ...... 17.95

lamp, 85mm f/2.8 Hextor lens


Lab-21 Laptop Bag

water-repellent finish; Three layers of polyurethane inside.

Exterior Dimensions: 14.2 x 4.7 x 11.8"

Ballistic Nylon & Nycore with

YKK coil silent action zinners



2.4GHz RemotePoint Navigator

#DRCPRW80 80" case .....

Icon-studded control keys support Slide Forward, Slide Back, Slide Hide functions and a laser pointer. Installation: Just plug in the USB receiver and go. Navigator's 50' RF wireless range means that no matter where you're standing or which way you're facing in the room, your -USB slides will advance on cue, everytime.

#INVP4150..... \$84.95

# RemotePoint RF Wireless Mouse

Radio frequency remote control allows you tocontrol PC-based presentations worry-free from up to 100 feet away. Comfortable, reliable and easy-to-use, Remote Point RF's radio frequency eliminates "line of sight" problems of IR remotes. The award-winning Remote Point RF is available by itself, or bundled with a wireless keyboard.

70x70

60x80

#INVP4810 .....

\$85.95

JILLOO, INC.

#### **Custom Cases**

- · Carry Case
- ATA Shipping Case

- · Padded Hard Side Case
- SMARTBoard Case/Cover
- Plasma Display Case/Coversizes available.

with Kodak 140-slide tray, & lamp!

BRAUN NOVAMAT MONITOR

M330 AF Projector

(Lens not included)

5600

Viewer.

SIROSTAR

2000 Viewer



KTPA3911 ...... \$98,00 PKB-2 Presentation Bag 2 main compartments for computer equipment.

Square-frame tote har and smooth-glide inline skate wheels shoulder strap or padded top handles. Interior Dimensions 17.3 x 3.4 x 13"



#### Mounts for Projectors and Monitors

Premier - PBL-UMS Universal projector mount for most projectors up to 25 lbs. Includes PBL upper assembly. Independently adjustable tilt, roll, and rotation. Ideal for ceilings. Color: Dark Gray

# PRPBLUMS: \$135.00

Pro Mounts - Universal Ceiling Projector Mount 20 degree pitch up or down. •360 degree rotation Fast disconnection for simple maintenance •Concealed cables ·Adaptable to different projectors, up to 33 lbs.

# PRUCPMPB: \$129.95

# 35mm PROJECTORS and ACCESSORIES

KODAK CAROUSEL





MAMIYA PRO CABIN

BRAUN BUHL Mark 4 Opus Opaque 4006 ..... 974.95 2000AG .... 199.95

1810 199 95 1865 339 95 All 3M 9000 Series Projectors are designed for use with room lights on.

## ...129.95 2x80 LKM Slide Tray ...... 19.95

		designed for use with room lights on.		
Projector Accessories				
Gepe European Straight Trays 2 x 507.95	DA-LITE DA-LITE			
Rotary 80 Slide Tray 14.95	Projector Stand #203139.95			
Kodak Projector Case 37.95	425 Stand Project-o	35mm Projection Lenses		
FHS Lamp 13.95	Accessory Shelf #20833.95	ARION MIRAGE		
AMX WIRELESS SINGLE/DUAL REMOTE CONTROLS	2nd Projector Piggy Back Stand41.95	1701 Pro Dissolve499.95		
MX-3369.95	GB Laser Pointer (5MW) Red24.95	BUHL Lenses		
MX-4A399.95	KODAK	For LCD ProjectorsCALL		
MX-12 Dual549.95	Model E Case	RAYNOX		
MXPS Power Supply F/MX29.95	EC Stackloader 69.95	100-150/3.597.95		



Paxiscope Opaque....389.95

# 35mm Projection Lenses

ARION MIRAGE				
1701 Pro Dissolve499.95				
BUHL Lenses				
For LCD ProjectorsCALL				
RAYNOX				

### **LIGHT BOXES and LOUPES**

1990 7X .......... 162.95 1993 10X Suction . 32.95

2038 4X Stand .. 56.95 2044 8-16X Zoom . 199.95

LIGHTBOXES QUICK & LOUPES DIAL 73

# Liebt Day

Light Boxes				
GEPE PROSLIM SLIDE VIEWERS	VISUAL PLUS – AC Adapter Included			
G2024 8x18" 159.95 G2025 12x18". 204.95	Pro SV 650 (4 1/8x5 1/2)49.95			
14x18"225.95 14x24"279.95	Pro SV 450 (8 1/2x12) 179.95			
CABIN	PORTA-TRACE 5000°K			
9x5 CL-5000N w/AC 110/220 Adapter 149.00	TLP 5x7"29.95			
8x10 CL-5000M w/AC 110/220 Adapter 249.95	TLP 8.25x11.5"			
11x14 CL-5000L w/AC 110/220 Adapter 279.95	6181C 6x18", 1-15 Watt Lamp 64.49			
LOGAN 5000°K	1012-2C 10x12", 2-8 Watt Lamps			
Truview 2416 '2 ft. View Area' 16x24 189.95	1118-2C 11x18", 2-15 Watt Lamps			
Truview 4816 '4 ft. View Area' 16x48 234.95	1824-3C 18x24", 3-20 Watt Lamps 219.95			
Truview 2500 '3 ft. View Area' 24x36 309.95	1824-4C 18x24", 4-20 Watt Lamps 210.95			
Futura 1812 View Area 18x12"	Modular IVS 1648 16x48" 2-40 Watt 319.95			
810 View Area 8.75x11.5"53.95	Modular IVS 1624 16x24 3-15 Watt 224.95			
2020 Portable, View Area 12x 17" 109.95	1118-2WC Solid Oak Frame			
Daylite 501 5.5x9.5 Battery, AC	1214-2WC Solid Oak Frame			
Slim Edge 4x5 A7A	1618-3WC Solid Oak Frame 159.95			
Slim Edge 8x10 A5A w/AC Adapter	9x12 Slide Sorter (Holds 24 Slides)			
Slim Edge 11.5x16 A3A 194.95	JUST Smart Light 5000 Viewers			
TUNDRA	2147 10x20			
Tundra 4x5 Light Box	8268 14x15			
W/AC	8276 14x20			
Tundra 5x7 Light Box w/AC & Case	12153 14x44			
Tundra 8x10 Light Box	2139 10x15179.95			
w/AC	21857 12x10 Mini			
Tundra 8x10 Light Box w/AC & Case 59.95	12104 12x19 Mini			
Tanara ox to Eight Box 11/10 a date	12104 12X13 WIIII			
Lou	ipes			
KENKO	ESCHENBACH			
5x Achromatic	1153 8X Magnifier 29.95			
3x Precision	2626 6X W.A. Loupe			
HORIZON	1552 6X Lighted Loupe			
4X Linen Tester	SCHNEIDER			
8X 35mm slide 43.95 4X 21/4 slide 41.95	4x 109.95 6x Asph 189.95			
PEAK	6x7			
1960 5X	MISCELLANEOUS			
1962 15X 19.95 1964 22X 41.95	Pentax Photo Zoom 5-11x Loupe			
1966 10X Lighted Loupe	Pentax Photo Loupe 5.5x			
1975S 7X Scale43.95 1983S 10X Scale 69.95	Bestwell 10X Maxi-Loupe			
1985 Pocket Steinheil 10X	Canon 4x129.95 Canon 8x149.95			
1986 5X	Iston 4X APO 49.95 NPC Pro 5.5X 99.95			

294

Rodenstock 6x Aspherical Loupe ....

Rodenstock 4x

Wista 5x..... 52.95 7x Hood Type ..... 111.95

Flexible Gooseneck Document Camera

## ClearOne.

#### FlexCam iCam

## Video Presentation Camera

- NTSC 20-Inch Fexible Gooseneck
- Image Device: 1/4-Inch CMOS CCD
- Lens 8.0 mm D-Mount
- Number of Pixels 350,000 Pixels
- Horizontal Resolution 330 TV Lines
- 3 Lux Sensitivity

ELMO

F5.8. f=3mm Lens

• 768 (H) x 494 (V) Res

- Field-of-View 37 Degrees
- Power Requirements 12 Volts DC from AC Adapter

**Mobile Visual Presenter** 

• 1/3" Interlin-transfer CCD image sensor

• Shooting area 14.3 x 10.7 - 7.0 x 5.3"

• NTSC, 470 TV lines of resolution

· Auto white balance and Fixed iris

• Focus Free • S-Video, C-Video

• Dim. 2.3 x 11.1 x 6.3" (folded)

• LM-5011N Color LCD Monitor

• Image Device: 1/3-Inch CCD

• Swivel Head Camera, 12x Zoom:

f/1.9 to f/2.6 • 450 X 350 TV Lines

• Dim. 14.2 x 11.2 x 6.3-11.2"

• 8 X 4 X 11 inches • Weight 8 lbs.

#CLFCIC



# Presentation /Education Document Camera

- NTSC Image Device 1/4-Inch CCD
- Flexible Gooseneck Lens 8.0 mm D-Mount
- Number of Pixels 350,000 Pixels
- . Horizontal Resolution 330 TV Lines
- 3 Lux Sensitivity Horizontal Field-of-View 37°
- Signal Connectors USB- Standard 4-Pin (x 1)

Laptop-Size Digital Visual Presenter

• Lens 3 mm, f/2.9 4x Digital Macro Zoom

#ELHV110XG .....

- Power Supplied From Computer via USB • 8 X 4 X 11" • Maximum Neck Height 18"
- · Weight 8 lbs.

· Signal System: NTSC

• Image Device: 1/3-Inch CCD

• 872.000 Pixels 1024 x 768

• Field-of-View 58° H x 48° V

• 14.2 x 11.2 x 11.1 inches

· Computer Signal Pass-Through

• Power Requirements 12-Volts DC

ClearOne.

. Mac & PC Drivers / Software Included

#CLFCU



**FlexCam** 

\$299.95

#### ELMO **EV-200**

## **HV-110XG**

\$649.95

**RE-455X** 

## Video Presenter

• 1024 x 768 (XGA) • True 20fps, native XGA 1/3" 850,000 Pixel Progressive Scan CCD • 42x powered auto focus, zoom lens - 14x optical plus continuous, 3x digital zoom • 270 degrees rotation base & camera head . Camera head tilts up & down 120° • Variety of digital functions and 4 user defined presets

· Control zoom, auto/manual focus, automatic white balance, brightness and ± settings • Adjustable LED lamp attached to arm with remote on/off • Built-in Kensington port • Inputs: (1) VGA (15in) and RS-232C • Outputs: (1) VGA (15-pin) pin) and RS-23 #**SASDP850** \$899.95

• Field-of-View 45° Horizontal • USB- Type B, Mouse- 6-Pin

High Resolution Visual Presenter

ClearOne.

• Image Device 1/4-Inch CCD

· Built-in stereo microphones

· Horizontal Resolution 330 TV Lines

Minimum Illumination 3 Lux Sensitivity

Maximum Horizontal Field-of-View 42°

• Lens 5.57.0 mm C-Mount

• Magnifications to 50:1

• Includes Power Supply

• 266.000 Pixels

NTSC and PAL

#CLFC ...

SAMSUNG

# ELMO

NTSC and PAL Systems

• 5.8 to 58 mm, f/2.8 10x

Analog RGB: 1054 x 768

• Video Output: 400 x 400

. Built-In Overhead Lighting

• 100 to 240 Volts AC, 50 or 60 Hz

• 27.8 x 15.9 x 22.6 Inches • Weight 14.3 Lbs.

Optical Zoom

• Image Device: 1/3-Inch CCD

### HV-3000XG

**FlexCam** 

\$349.95

SDP-850 XGA

# • Weight 3.3 lbs.

#ELEV200 \$459.95

Visual Presenter with, Built-In Lighting and Wireless Remote Control

Approximately 42° • 120-Volts AC, 60 Hz • Folded: 19.7 x 3.9

#ELEV2000AF \$1,389,95

x 24.1 Inches • Wireless Remote • Weight 13.2 lbs

## ELMO

· Signal System: NTSC

• Lens 5.8 mm to 70 mm

· Horizontal Field-of-View

### EV-2000AF

EV-4400AF

# Canon Video Visualizer

· Weight 3.3 Lbs.

• 12x power zoom with PRESET ZOOM button for A4 size • Shooting Area (Max) 306 x 230mm - 31.5 x 23.7mm • CCD Size Pixels: 1/3" CCD • Resolution:

XGA output 520 x, 450 TV lines • Lens:F=5.4mm-64.8mm F1.8-F2.8 10

element, 8 group design • 1,024 pixels x Vertical 768 pixels

• White Balance: Auto/manual • Focus: Power auto/manual

· Auto/manual Iris Control w/ WHITE PAPER white document button

• 6W fluorescent lamp x 2, high-frequency lighting, angle-adjustable AC100-240 • Folded position: 486 (W) x 525 (D) x 183 (H)mm

Approx. 9.4kg

#CARF455X

# ELMO


#### P30

#### SAMSUNG

## UF-80DX

# ELMO Visual Presenter

- Capture documents up to 16.1 x 12.2"
- 1/3" IT CCD 410,000 pixels • 470 TV lines • Digital image
- magnification and scrolling
- 18x optical zoom with Auto focus/Iris • Auto focus/Powered focus • S-Video & Audio output
- · Internal/External (H & V) Sync.
- · Built-in base light for transparency and 35mm slide viewing • 17.3 x 17 x 23.7" • Weight 22.1 lbs.



#ELEV4400AF ......\$1,874.95

#### SAMSUNG SDP-950ST

## **Digital Visual Presenter**

- NTSC Image Device 1/3-Inch CCD
- Lens 6.3 to 75.6 mm, f/3.0
- 12x Optical Zoom
- Number of Pixels 850,000 Pixels
- . Horizontal Resolution 350 TV Lnes
- . Built-In Overhead and Underneath Lighting Built-In
- Field-of-View 72° Horizontal 61° Vertical • LCD Monitor- 6-Pin (x 1 output)
- USB- RJ-45 (x 1) Mouse- 6-Pin (x 1) 110 to 240 Volts AC, 50/60 Hz • 20 x 5.6 x 8 Inches • Weight 12.13 Lbs.

#SASDP950ST \$2,279.95

## XGA Producer Visual Presenter

- 850,000 pixel Progressive Scan CCD Camera
- True XGA (60Hz) Res. 1024 x 768
- 60x zoom focus 15x optical
- Free angle camera and lamp arms
- · Annotation tools f/ image enhancing
- · Live image capture w/ smooth 20 fps
- · Split-Screen live video · AVI or WMV
- video format to PC thru USB
- . SD Memory Card Slot w/ Image
- DVI and RGB outputs 10 lbs.

# #ELP30 .....

ELMO



.... \$1949.95

### **High Resolution Visual Presenter**

- NTSC and PAL Systems
- Image Device: 1/3-Inch CCD Lens 4.7 to 84.6 mm, f/2.8 18x
- Optical Zoom 805,000 Pixels
- Horizontal Res 400 TV Lines Built-In Overhead Lighting • Horizontal Field-of-View 52° Horizontal • USB-Type B • Mouse- 6-Pin • 100 to 240

Volts AC, 50 or 60 Hz • 27.4 x 21.3 x 21.9 Inches

Weight: 21.6 Lbs.

#ELHV5100XG ......\$2,199.95

# #ELHV3000XG ......\$1,799.95

### **Digital Presenter**

- NTSC Image Device: 1/3-Inch CCD
- Lens 4.8 to 67.2 mm, f/1.0 to f/2.1
- . 14x Optical Zoom with 3x Digital Zoom Multiplier
- Number of Pixels 850.000 Pixels
- Horizontal Resolution 1000+ TV Lines
- XGA 1024 x 768 Output
- 20 Frames per Second
- . Horizontal Field-of-View 55° at 4.8mm Maximum Wide
- Special Mini (x 1 output) USB- RJ-45 (x 1 output) Mouse- 6-Pin GUI (x 1) • 100 to 240 Volts AC, 50 or 60 Hz • 15.9 x 19.2 x 19.8 Inches • Weight 11 Lbs. #SAUF80DX ..... \$2,199.95

# SAMSUNG

## Xga Video Presenter . The most compact and light presenter

- ever w/ professional 12X Zoom lens
   XGA Resolution (1024 x 768)
   1/3" 850,000 Pixels (Progressive Scan) CCD
- CCD: 1/3-inch, 850,000 pixels maximum
   Frames per second: 15 Zoom: 12X
- optical only Inputs: Two RGB (VGA), RS-232, mouse Outputs: Two RGB
- (VGA), component video, S-video, LCD, USB Remote included Four custom User-programmable presets
   Image memory: Up to eight images, with frame display
- (saved or live), image split, shift White balance: Auto, manual
- Weight: 9.9 pounds Dimensions: 15 x 16.9 x 19.7 #SASDP950DX



SDP-950DX